



Photo: BARiT

BARiT BOX GUTTER | Details

DEFINITION AND PURPOSE

The BARiT BOXED GUTTER made of stainless steel gets custom-tailored with longitudinal and crosswise slopes integrated. High stability is assured by continuously edged grate plates, reinforcing angles with oblong holes and welded distance plates.

FEATURES

BARiT BOXED GUTTER is made of stainless steel. Boxed gutters are custom-made with integrated longitudinal sloping or longitudinal and transversal sloping. Additional stability is provided throughout with inward facing grill supports, lengthwise reinforcement brackets and welded spacer ribbing. Not only the professional bending of the material, but also the appropriate cover ensure a high load capacity. Depending on the customer's wishes, solid covers with and without anti-slip surfaces and bar grates are available. The material thickness of 2 mm ensures a high thermal and mechanical resistance.

As part of BARiT's services, professional installation can also be included along with supplying the BOXED GUTTERS. For a coupled and seamless integration, these are incorporated into resin concrete. Extensive standard versions offer a wide range of solutions. Additional types of sloping, thicknesses and profiles, and lateral or central floor drains can be special ordered on request. Stainless steel boxed gutters can be easily cleaned with our BARiT CLEANER.



smooth panel



Anti-slip panel



mash grate



grate

Quick Info


- custom-tailored
- integrated sloping
- stainless steel
- solid covers
- easy cleaning
- mechanical stability
- resisting to thermal loads

BARiT TROUGH CONVEYOR | Details

TYPE	KASTENRINNE
Material	Stainless steel AISI 304 1.4301
Material thickness	2 mm
Space between distances	ca. 1 m
Surface	chemically descaled
Built-in Fall	1 %
Cleaning	BARiT Cleaner*
Firesafety	on demand



* according to cleaning and care instructions




TYPE	KR 118	KR 172	KR 222	KR 272	KR 322	KR 400
Overall Width	118	172	222	272	322	400
Channel Width	50	100	150	200	250	328
Cover Thickness	20	25	20-40	20-40	20-40	25-50
Cover Width	74	130	180	230	280	358
Max. Height	150	310	341	391	441	519
Min. Height	40	55	55	55	55	55
Drain Type	150-300	150-300	150-300	150-300	150-300	150-300

all measurements in mm



Device Base with Boxed Gutter



Quick Info

- custom-tailored
- stainless of V2A steel
- mechanical stability
- resisting to thermal loads
- integrated sloping
- easy cleaning